

HISTAPAN®

Mebhydrolin

Tablet salut film

Tiap tablet salut film mengandung:
Mebhidrolin Naphadisilat yang setara dengan 50 mg
Mebhidrolin.

FARMAKOLOGI

Mebhidrolin Naphadisilat memiliki daya kerja yang lebih cepat serta kurang efek sedasinya dibandingkan dengan prometazin.

HISTAPAN® menghambat reaksi histamin pada otot polos.

HISTAPAN® mengurangi bahkan menghilangkan efek utama histamin dalam tubuh, sehingga sel-sel efektor tidak ditempati histamin.

INDIKASI

HISTAPAN® digunakan untuk pengobatan terhadap penyakit alergi.

PERHATIAN

Selama minum obat ini dilarang mengendarai kendaraan bermotor atau menjalankan mesin.

DOSIS

Dewasa: 100 mg - 300 mg sehari dalam dosis terbagi.

Anak-anak 6 - 12 tahun: 100 mg - 200 mg sehari dalam dosis terbagi.

Atau menurut petunjuk dokter.

HARUS DENGAN RESEP DOKTER

KEMASAN

Dus isi 10 strip @ 10 tablet.

No. Reg.: DKL8522204517A1

PENYIMPANAN

Simpan pada suhu kamar (25° - 30°C).

Dibuat oleh: **PT SANBE FARMA**
Bandung - Indonesia

BF 123 - 5

HISTAPAN®

Mebhydrolin

Film-coated tablet

Each tablet contains:
Mebhydrolin Naphadisylate equivalent to 50 mg of
Mebhydroline.

PHARMACOLOGY

Mebhydroline Naphadisylate has shorter duration of action and causes less sedation than prometazine.

HISTAPAN® inhibits most responses of smooth muscle to histamine.

HISTAPAN® reduces and even eliminates the main effect of histamine in the body, therefore the effector cells are not replaced by histamine.

INDICATIONS

HISTAPAN® is used for treatment of allergic condition.

PRECAUTIONS

During the treatment, patients should not drive vehicle or operate machinery.

DOSAGES

Adults: 100 mg - 300 mg daily in divided dose.

Children 6-12 years old: 100 mg - 200 mg daily in divided dose.

Or as directed by physician.

ON MEDICAL PRESCRIPTION ONLY

PRESENTATIONS

Box of 10 strips @ 10 tablets.

Reg. No.: DKL8522204517A1

STORAGE

Store at room temperature (25° - 30°C).

Manufactured by: **PT SANBE FARMA**
Bandung - Indonesia

BF 123 - 5